

# 2025 PRODUCT CATALOG



## **TABLE OF CONTENTS**

Ta	nk Appurtenances	2
	Stairways	2
Ta	nk Tools	2
	Anti-Rotation Assy w/hardware	2
	Bracket Strap	2
	Bull Pin	3
	C-Lug	3
	Cribbing	4
	Erection Nut Backet	4
	Finger Bar	5
	I-Beam Strongback	5
	Key Channel Strongback	6
	Key Shim	6
	Keyplate	8
	Money Maker Wedge	10
	Nuts	10
	Plate Guy Hook	11
	Poison Plate	12
	Rolling Tie Off Block	12
	Scaffold Board	13
	Scaffold Board Chain Binder	13
	Scaffold Bracket Carrier Unit	14
	Scaffold Bracket/Post	14
	Scaffold Safety Access Hatch/Aluminum	15
	Shim Pin	15
	Spreader Bar	16
	Temporary Shell Ladder w/stand-offs	16
	U-Bar	17
	Vertical Ladder	17
	Welder Test Plate	18
	Welding Lead	18
	Wire Rope	
	Wire Rope UBolt Clip	



#### 1. STAIRWAYS

SKU: N/A

Spiral Stairways, Stair Platforms, and Roof Rails.

Custom fabricated for all types and sizes of tanks built to customer specs. (Plain or Galvanized)

**View Product** 



# 1. ANTI-ROTATION ASSY W/HARDWARE (LUGS, BINDER, CHAIN, HOOKS)

**SKU:** Ard-Assy

Designed to prevent any rotation or lateral movement of a floating roof, ensuring it remains centered in the tank.







#### 1. BRACKET STRAP

SKU: N/A

Used to adhere scaffolding to tanks, Constructed out of carbon steel or stainless steel. Simply weld on and drop the scaffolding into the opening. The bracket strap has the industry standard single tab style slot. Double pin strap can be constructed upon request.

Part#: BS0001 (Carbon Steel)

Thickness: 1/4" Width: 2" Length: 10-1/8"

Weight: 1.4

Part#: BS0001s (304 Stainless Steel) Thickness: 1/4" Width: 2" Length: 10-1/8"

Weight: 1.4

**View Product** 





#### 1. BULL PIN

SKU: N/A

Thorough testing on our bull pins was conducted to ensure the correct hardness and retention. Machined out of special carbon steel alloy or stainless steel, our bull pin is extremely hard to fracture and will tolerate abuse. It features a tapered head that slows the "mushrooming" that occurs after being used extensively.

Part#: BP0001 (Carbon Steel) Width: 1-1/4" — Length: 12"

Weight: 2.5

Part#: BP0001s (304 Stainless Steel)

Width: 1-1/4" — Length: 12"

Weight: 2.5



#### 1. C LUG

**SKU:** CL0001

C Lug is constructed of  $\frac{3}{4}$ " carbon steel and is a good choice for welding to the shell for slotting in bottoms or replacing a new bottom

Part#: CL0001

Material: Carbon Steel

Width: 7-1/4" — Thickness: 3/4" — Length: 7-1/2"

Weight: 10

**View Product** 



#### 1. CRIBBING

**SKU:** TET-CRIB

Cribbing 6"x6"x48"L, rough sawn oak +/- 1/4"-1/2"



## 1. ERECTION NUT BACKET

SKU: N/A

Easily transport erection nuts

**View Product** 



#### 1. FINGER BAR

**SKU:** FB0001

Finger Bar is constructed of carbon steel and used for fitting applications to eliminate mismatch of shell sections. 1"x4"x3/8"

Part#: FB0001

Material: Carbon Steel

Width: 1" — Thickness: 3/8" — Length: 4"

Weight: 0.5









#### 1. I-BEAM STRONGBACK

**SKU:** SB0001

Constructed from carbon steel, the I-Beam is primarily used for wind protection and girth seam fitting applications.

Part#: SB0001

Material: Carbon Steel

Height: 3" — Width: 2-1/4" — Length: 48"

Weight: 23.0

**View Product** 





#### 1. KEY CHANNEL STRONGBACK

SKU: N/A

Strong backs are designed to form a stiffener between to horizontal sheets to provide stability to each ring. The Key Channel Strong back is available in 4" or 6" inch design and constructed out of structural grade channel iron. It features tabs to allow the bull pin to lock into place.

Part#: KC0002 (6" Carbon Steel) Height: 2" — Width: 6" — Length: 48"

Weight: 44.0

Part#: KC0001 (4" Carbon Steel)

Height: 1-1/12" — Width: 4" — Length: 48"

Weight: 27

#### 1. KEY SHIM WEDGE

**SKU:** KWS0001 View Product







Key shims are available in 3/32", 1/8", and 5/32" thicknesses and are constructed from stainless steel. Our shims are designed to use the pin and wedge method allowing adjustment for several thicknesses of plate material.

Material: 304 Stainless Steel

Part#: KS332S — (ss 3/32")

Width: 2" - Thickness: 3/32" - Length: 4"

Weight: 0.1

Part#: KS18S — (ss 1/8")

Width: 2" - Thickness: 1/8" - Length: 4"

Weight: 0.1

Part#: KS532S — (ss 5/32")

Width: 2" - Thickness: 5/32" - Length: 4"

Weight: 0.1









#### 3. KEY SHIM: CARBON STEEL

SKU: N/A

Key shims are available in 3/32", 1/8", and 5/32" thicknesses and are constructed from carbon steel. Our shims are designed to use the pin and wedge method allowing adjustment for several thicknesses of plate material.

Material: Carbon Steel

Part#: KS332 — (3/32")

Width: 2" - Thickness: 3/32" - Length: 4"

Weight: .1

Part#: KS18 — (1/8")

Width: 2" - Thickness: 1/8" - Length: 4"

Weight: .1

Part#: KS10 — (10ga)

Width: 2" - Length: 4" - Thickness: 10ga

Weight: .1

Part#: KS532 — (5/32")

Width: 2" - Thickness: 5/32" - Length: 4"

Weight: .1

**View Product** 





#### 1. 90° HINGED KEYPLATE

**SKU:** KPH001

Used for numerous fittings such as wind girder and cone sections where intermittent adjustment is needed.

90 Degree Hinged Keyplate allows for continual pull and push. It features a 110 degree to flat full range of motion

Part#: KPH001

Material: Carbon Steel

Height: 1-1/2" Width: 5-1/2" Length: 18-3/16"

Weight: 19.0lbs



#### 2. 90° FIXED KEYPLATE

SKU: KPF001

 $90^{\varrho}$  Key Plate works at a  $90^{\varrho}$  angle to push and pull walls as well as raise and

lower. 90º fixed keyplate has a low profile design.

Part#: KPF001

Material: Carbon Steel

Height: 8" Width: 6-1/2" Length: 8"

Weight: 12.7lbs

**View Product** 



#### 3. LIGHT DUTY KEYPLATE

**SKU:** KP0002

Light duty keyplate is based on the same design as our heavy duty keyplate but constructed out of 3/8" carbon steel. Weighing in at just under 13#, it is a great choice for smaller tanks and top rings.

Height: 4.25" — Width: 5.5" — Length: 19.25" — Weight: 12.7





#### 4. HEAVY DUTY KEYPLATE

**SKU:** KP0001


Heavy duty keyplate is a time tested design used in the industry for years. Constructed out of  $\frac{1}{2}$ " carbon steel it is able to handle all ranges of thicknesses for tank construction

**View Product** 





SKU: MM01



Part#: MM01

Material: Carbon Steel

Width: 5" — Height: 5" — Thickness: 2" — Length: 14"

Weight: 8.5







#### SKU: N/A

Erection nuts are burned, machined and drilled with 1-1/8" diameter holes. Various sizes available (Sizes below as is now)

1. BLANK ERECTION NUTS: STAINLESS STEEL

Material: 304 Stainless Steel

Weight: 0.2, 0.3, 0.6, 0.9

Dimensions: 2"x 2" with 1-1/8" diameter holes

Size: 3/8", 1/2", 3/4", 1"

View Product



## 2. BLANK ERECTION NUTS: CARBON STEEL

SKU: N/A

Erection nuts are burned, machined and drilled with 1-1/8" diameter holes. Various sizes available (Sizes below as is now)

Material: Carbon Steel

Weight: 0.2, 0.3, 0.6, 0.9

Dimensions: 2"x 2" with 1-1/8" diameter holes

Size: 3/8", ½", ¾", 1"







#### 1. PLATE GUY HOOK

**SKU:** PGH-041

Dimensions are 7-1/2" x 7-1/2"

**View Product** 





#### 1. POISON PLATE

SKU: N/A

Made of 304 Stainless Steel, these plates eliminate carbon impregnation while tools are being used on Stainless Steel. The Poison Plate reduce the cost of purchasing stainless steel key plates.

Part#: SB0001

Material: 304 Stainless Steel

Weight: 0.1







#### 1. ROLLING TIE OFF BLOCK

**SKU:** RTB-040

Attach the safety lanyard to the rolling tie-off block to easily relocate on large diameter tanks. Provides fall protection safety wherever needed.

**View Product** 



#### 1. SCAFFOLD BOARD

**SKU:** N/A View Product





#### 1. SCAFFOLD BOARD CHAIN BINDER (BINDER, **CHAIN, HOOKS)**

**SKU:** SLB-01

Used to secure scaffold bracket to the scaffold boards to hold boards in place.

**View Product** 





Used to store and transport scaffold brackets and posts (Dimensions 5'3" H x

3'3"L)







### 1. SCAFFOLD BRACKET/POST

SKU: N/A

Scaffold brackets and posts can be purchased galvanized or painted yellow. They are constructed out of carbon steel and feature the single tab design to match our bracket straps. Our posts are constructed of pipe and feature chain link cable supports.

Material: Carbon Steel

Part#: SBP001 — (Bracket-Yellow)

Weight: 26

Part#: SPP001 — (Post-Yellow)

Weight: 10

Part#: SBG001 — (Bracket-Galvanized)

Weight: 26

Part#: SPG001 — (Post-Galvanized)

Weight: 10

**View Product** 



## 1. SCAFFOLD SAFETY ACCESS HATCH/ALUMINUM

**SKU:** SAH-048

Allows for an entry point for our scaffolding system and works in conjunction with our temporary shell ladder.







#### 1. SHIM PIN

SKU: N/A

Shim has a strategically placed "stop" to prevent it from falling out of the key shim but allowing for an easier installation when used for girth seams. Used with the Key Shim and Key Shim Wedge.

Part#: SP0001

Material: Carbon Steel Width: 3/4" — Length: 4"

Weight: 0.5

Part#: SP0001s

Material: 304 Stainless Steel Width: 3/4" — Length: 4"

Weight: 0.5

**View Product** 



#### 1. SPREADER BAR

SKU: N/A

Lifting device used in conjunction with cranes to uniformly pick up plate material





# 1. TEMPORARY SHELL LADDER W/STAND-OFFS (SAFETY YELLOW)

**SKU:** SL-023

Used in conjunction with the scaffolding system and access hatch. Standard 8' tall. Custom heights available.

**View Product** 



#### 1. U-BAR

SKU: N/A

U-bar is constructed of carbon steel or stainless steel and features an angled pin slot that allows the bull pin to stay in place.

Part#: UB0001

Material: Carbon Steel

Height: 1-5/8" - Thickness: 5/8" - Length: 7-3/4"

Part#: UBs0001

Material: 304 Stainless Steel

Height: 1-5/8" - Thickness: 5/8" - Length: 7-3/4"

Weight: 0.9









#### 1. VERTICAL LADDER (SAFETY YELLOW)

**SKU:** VL-004

Verticle ladders hook over the top of the tank to allow for easy access both inside and outside the tank when building, repairing or inspecting. Standard 12' Length

**View Product** 



#### 1. WELDER TEST PLATE - 1/2 INCH

**SKU:** WTP0001

Made of  $\frac{1}{2}$ " plate, welder test plates can be used for welder practice, tests and qualifications such as ASME. Sold per plate.

Part#: WTP0001

Width: 3" - Thickness: 1/2" - Length: 8" - Bevel: 22.5" - Land: 1/8"

Weight: 3.4 lbs each





#### 1. WELDING LEAD

SKU: N/A

Welding Leads with both Standard Duty and Heavy Duty and 6 ft Whip, 10 ft Whip, 50 ft Lead, 100 ft Lead

**View Product** 







### 1. 3/8" WIRE ROPE

**SKU:** WR-38

Galvanized steel wire rope contains zinc that helps withstand corrosion, wear resistance, and outdoor elements. Not suitable for marine applications.

Galvanized steel wire rope 3/8" in diameter, 7x19, 2880 Working load limit, 250 ft roll





#### 1. WIRE ROPE UBOLT CLIP

**SKU:** UBC-38

Wire Rope U-Bolt Clip, 3/8" Rope, 6-1/2" Rope Turnback, Forged Steel, (6 per 250 ft rope)

U-bolt clips tighten around wire rope with a wrench from the same side. They consist of a U-shaped bolt, a metal saddle, and two hex nuts. Wire Rope U-Bolt Clip, Compatible with 3/8" Diameter Rope, 6-1/2" Rope Turnback Length, Steel, Forged ( 6 needed per 250' of rope)

#### **INDEX**

#### 1

- 1. 3/8" Wire Rope 19
- 1. 90° Hinged Keyplate 8
- 1. Anti-Rotation Assy w/hardware (lugs, binder, chain, hooks) 2
- 1. Blank Erection Nuts: Stainless Steel 11
- 1. Bracket Strap 3
- 1. Bull Pin 3
- 1. C Lua 4
- 1. Cribbing 4
- 1. Erection Nut Backet 5
- 1. Finger Bar 5
- 1. I-Beam Strongback 6
- 1. Key Channel Strongback 6
- 1. Key Shim Wedge 7
- 1. Money Maker Wedge 10
- 1. Plate Guy Hook 12
- 1. Poison Plate 12
- 1. Rolling Tie Off Block 13
- 1. Scaffold Board 13
- 1. Scaffold Board Chain Binder (binder, chain, hooks) 14
- 1. Scaffold Bracket Carrier Unit 14

- 1. Scaffold Bracket/Post 15
- 1. Scaffold Safety Access Hatch/Aluminum 15
- 1. Shim Pin 16
- 1. Spreader Bar 16
- 1. Stairways 2
- Temporary Shell Ladder w/stand-offs (Safety Yellow) 17
- 1. U-Bar 17
- 1. Vertical Ladder (Safety Yellow) 18
- 1. Welder Test Plate 1/2 Inch 18
- 1. Welding Lead 19
- 1. Wire Rope UBolt Clip 20

#### 2

- 2. 90° Fixed Keyplate 9
- 2. Blank Erection Nuts: Carbon Steel
- 2. Key Shim: Stainless Steel 7

#### 3

- 3. Key Shim: Carbon Steel 8
- 3. Light Duty Keyplate 9

#### 4

4. Heavy Duty Keyplate 10

# LET'S BUILD SOMETHING TOGETHER



TANK ERECTION TOOLS INC

## **CONTACT US**

Kim Reynolds

(785) 275 - 2384

1830 E. 6TH STREET CONCORDIA, KS 66901